

- 1 IJOMI | Increased Bone Contact To A Calcium-Incorporated Oxidized Commercially Pure Titanium Implant: An In-Vivo Study In Rabbit
V. Fröjd, V. Franke-Stenport, L. Meirelles, A. Wennerberg
- 2 IJOMI | Surface Characteristics Of Electrochemically Oxidized Implants And Acid-Etched Implants: Surface Chemistry, Morphology, Pore Configurations, Oxide Thickness, Crystal Structure And Roughness
Eungsun Byon, Young-Taeg Sul, Ann Wennerberg
- 3 IJOMI | Optimum Surface Properties Of Oxidized Implants For Reinforcement Of Osseointegration: Surface Chemistry, Oxide Thickness, Porosity, Roughness, Crystal Structure
Young-Taeg Sul, Carina B. Johansson, Ann Wennerberg, Lee Ra Cho, Beom-Seok Chang, Tomas Albrektsson
- 4 IJOMI | Inward-Inclined Implant Platform For The Amplified Platform-Switching Concept: 18-Month Follow-Up Report Of A Prospective Randomized Matched-Pair Controlled Trial
Luigi Canullo, Jose Carlos Rosa, Vicente Souza Pinto, Carlos Eduardo Francischone, Werner Götz
- 5 IJOMI | Oxidized Titanium Screws Coated With Calcium Ions And Their Performance In Rabbit Bone
Young-Taeg Sul, Carina B. Johansson, Tomas Albrektsson
- 6 IJOMI | Clinical Accuracy Of Flapless Computer-Guided Surgery For Implant Placement In Edentulous Arches
Dalton Marinho Vieira, Bruno Salles Sotto-Maior, Carlos Alberto Villaça de Souza Barros, Elson Simões Reis, Carlos Eduardo Francischone
- 7 CIDRR | Importance Of Ca²⁺ Modifications For Osseointegration Of Smooth And Moderately Rough Anodized Titanium Implants – A Removal Torque And Histological Evaluation In Rabbit
Fröjd V, Wennerberg A, Franke-Stenport V.
- 8 CIDRR | Bone Reactions To Oxidized Titanium Implants With Electrochemical Anion Sulphuric Acid And Phosphoric Acid Incorporation
Young-Taeg Sul, Carina B. Johansson, Yunmo Kang, Dong-Gyun Jeon, Tomas Albrektsson
- 9 CIDRR | Nanoporous TiO₂ Thin Film On Titanium Oral Implants For Enhanced Human Soft Tissue Adhesion - A Histological Evaluation In Three Different Levels Of Resolution
Wennerberg A, Fröjd V, Olsson M, Nannmark U, Emanuelsson L, Johansson P, Yvonne J, Kangasniemi I, Peltola T, Tirri T, Pänkäläinen T, Thomsen P.
- 10 CIDRR | Inflammatory Response To A Titanium Surface With Potential Bioactive Properties: An In Vitro Study
Anna Göransson, Christina Gretzer, Anna Johansson, Young-Taeg Sul, Ann Wennerberg
- 11 CIDRR | Histological Evaluation Of Bone Formation Adjacent To Dental Implants With A Novel Apical Chamber Design: Preliminary Data In The Rabbit Model
Luiz Meirelles, Per-Ingvar Brånemark, Carina Johansson, Tomas Albrektsson
- 12 CIDRR | Biomechanical Measurements Of Calcium-Incorporated, Oxidized Implants In Rabbit Bone: Effect Of Calcium Surface Chemistry Of A Novel Implant
Young-Taeg Sul, Eung-Sun Eung-Sun Byon, Yongsoo Jeong
- 13 COIR | A Novel Technique For Tailored Surface Modification Of Dental Implants – A Step Wise Approach Based On Plasma Immersion Ion Implantation
Luiz Meirelles, Emilia Tiekko Uzumaki, Jose Henrique Cavalcanti Lima, Carlos Alberto Muller, Tomas Albrektsson, Ann Wennerberg, Carlos Salles Lambert
- 14 COIR | Oxidized, Bioactive Implants Are Rapidly And Strongly Integrated In Bone: Part 1-Experimental Implants
Young-Taeg Sul, Yongsoo Jeong, Carina B. Johansson, Tomas Albrektsson
- 15 COIR | Resonance Frequency Analysis And Removal Torque Analysis Of Implants With Turned And Anodized Surface Oxides
Young-Taeg Sul, Carina B. Johansson, Yongsoo Jeong, Ann Wennerberg, Tomas Albrektsson
- 16 COIR | The Effect Of Calcium Ion Concentration On The Bone Response To Oxidized Titanium Implants
Byung-Soo Kang, Young-Taeg Sul, Carina B Johansson, Se-Jung Oh, Hyun-Ju Lee, Tomas Albrektsson
- 17 COIR | Resonance Frequency Measurements In Vivo And Related Surface Properties Of Magnesium-Incorporated, Micropatterned And Magnesium-Incorporated Tiunite, Osseotite, SLA And TiOblast Implants
Young-Taeg Sul, Carina B Johansson, Yongsoo Jeong, Ann Wennerberg, Tomas Albrektsson

- 18 INTERNATIONAL JOURNAL OF DENTISTRY | Characteristics Of 2 Different Commercially Available Implants With Or Without Nanotopography
Ali Alenezi, Yoshihito Naito, Martin Andersson, Bruno R. Chrcanovic, Ann Wennerberg, Ryo Jimbo
- 19 AOR | Experimental Studies On Oxidized Implants. A Histomorphometrical And Biomechanical Analysis
Tomas Albrektsson, Carina B. Johansson, Anna Karin Lundgren, Young-Taeg Sul, Jan Gottlow
- 20 IJP | Which Surface Properties Enhance Bone Response To Implants? Comparison Of Oxidized Mg Implant, Tiunite And Osseotite Surfaces
Young-Taeg Sul, Carina B. Johansson, Tomas Albrektsson
- 21 BIOMATERIALS | The Significance Of The Surface Properties Of Oxidized Titanium Implant To The Bone Response: Special Emphasis On Potential Biochemical Bonding Of Oxidized Titanium Implants
Young-Taeg Sul
- 22 UNIVERSITY OF GOTHENBURG | On The Bone Response To Oxidized Titanium Implants – The Role Of Microporous Structure And Chemical Composition Of The Surface Oxide In Enhanced Osseointegration
Young-Taeg Sul, supervised by Tomas Albrektsson
- 23 JMSMM | Formation Of Calcium Phosphates On Titanium Implants With Four Different Bioactive Surface Preparations. An In Vitro Study
Anna Arvidsson, Victoria Franke-Stenport, Martin Andersson, Per Kjellin, Young-Taeg Sul, Ann Wennerberg
- 24 JMSMM | Precipitation Of Calcium Phosphate In The Presence Of Albumin On Titanium Implants With Four Different Possibly Bioactive Surface Preparations. An In Vitro Study
Victoria Stenport, Per Kjellin, Martin Andersson, Fredrik Currie, Young-Taeg Sul, Ann Wennerberg, Anna Arvidsson
- 25 JMSMM | Nucleation And Growth Of Calcium Phosphates In The Presence Of Fibrinogen On Titanium Implants With Four Potentially Bioactive Surface Preparations. An In Vitro Study
Anna Arvidsson, Fredrik Currie, Per Kjellin, Young-Taeg Sul, Victoria Stenport
- 26 IN | Nanostructures And Bone Response. A Safe Alternative To Implant-Supported Rehabilitations?
Luiz Meirelles
- 27 IN | Microscopic Effects Of An Implant Collector Chamber On Bone Tissue – A Mechanism To Favor Osseointegration: A Short Communication
Bruno Aiello Barbosa, Luiz Antonio Taveira, Alberto Consolaro, Carlos Eduardo Francischone
- 28 IN | Refreshing Osseointegration With An Implant Collecting Chamber: Microscopic Findings
Bruno Aiello Barbosa, Luis Antonio Taveira, Alberto Consolaro, Carlos Eduardo Francischone
- 29 IN | Multicenter, Clinical Retrospective Analysis (4-6 Year Follow-Up) Of P-I Brånemark Philosophy™ Dental Implants
Luigi Canullo, Paola Cicchese, Angelo Sisti, Carlos Eduardo Francischone Jr, Carlos Eduardo Francischone, Laercio Wonhrat Vasconcelos, Friedhelm Heinemann
- 30 IN | Immediate Dentoalveolar Restoration With Platform Switching Implant Placement And Bone Grafting In The Post Extraction Site - A Clinical Case
José Carlos Martins da Rosa, Darcymar Martins da Rosa, Carla Mônica Zardo, Ariádene Cristina Pértile de Oliveira Rosa, Luigi Canullo
- 31 IN | Short Dental Implants In Different Clinical Conditions: A Retrospective Study (1-5 Year Follow-Up)
Eduardo José de Moraes, Nathalia Benevides de Moraes, Luis Eduardo Benevides de Moraes
- 32 IN | A Two-Step, Split Crest Technique At Posterior Mandible For Implant Placement – Case Report
Alexander Rudolf Hohn
- 33 IIDIB | Comparing Light And Fluorescence Microscopic Data: A Pilot Study Of Titanium And Magnesium Oxide Implant Integration In Rabbit Bone
Carolina Carlsson, Kajsa Holmgren- Peterson, Jörgen Jönsson, Petra Johansson-Hammarström, Ann Albrektsson, Maria Hoffman, Young-Taeg Sul, Carina B Johansson
- 34 BIOMATERIALS | Qualitative And Quantitative Observations Of Bone Tissue Reactions To Anodized Implants. A Histologic, Enzyme Histochemical And Histomorphometric Analysis
Young-Taeg Sul, Carina B. Johansson, Kerstin Röser, Tomas Albrektsson
- 35 RÉALITÉ CLINIQUES | Les Implants Oxidés: Perspectives D'avenir?
Tomas Albrektsson, Young-Taeg Sul

- 36 JBMR | The Role Of Surface Chemistry And Surface Topography Of Osseointegrated Titanium Implant: Strength And Rate Of Osseointegration
Young-Taeg Sul, Byung- Soo Kang, Carina B Johansson, HS Um, C Park, Tomas Albrektsson
- 37 JBMR | An In Vitro Comparison Of Possibly Bioactive Titanium Implant
Anna Göransson, Anna Arvidsson, Fredrik Currie, Victoria Franke-Stenport, Per Kjellin, K Mustafa, Young-Taeg Sul, Ann Wennerberg
- 38 SCT | Electrochemical Property And Apatite Formation Of Metal Ion Implanted Titanium For Medical Implants
Eung-Sun Eung-Sun Byon, Sungmo Moon, Sung-Baek Cho, Chan- Young Jeong, Young-Taeg Sul
- 39 JABB | Bone Tissue Response To Mg-Incorporated Oxidized Implants And Machine-Turned Implants In The Rabbit Femur: Mechanical Interlocking Vs Biochemical Bonding
Young-Taeg Sul, Carina B. Johansson, Chang BS, Eung-Sun Eung-Sun Byon, Yongsoo Jeong
- 40 BIOMATERIALS | Characteristics Of The Surface Oxides On Turned And Electrochemically Oxidized Pure Titanium Implants Up To Dielectric Breakdown: The Oxide Thickness, Micropore Configurations, Surface Roughness, Crystal Structure And Chemical Composition
Young-Taeg Sul, Carina B. Johansson, Sarunas Petronis, Anatol Krozer, Yongsoo Jeong, Ann Wennerberg, Tomas Albrektsson
- 41 JMSMM | Oxidized Implants And Their Influence On The Bone Response
Young-Taeg Sul, Carina B. Johansson, Yongsoo Jeong, Kerstin Röser, Ann Wennerberg, Tomas Albrektsson
- 42 ANNALS OF ANATOMY | Maxillary Sinus Floor Augmentation Using A Nano-Crystalline Hydroxyapatite Silica Gel: Case Series And 3-Month Preliminary Histological Results
Luigi Canullo, Claudia Dellavia, Friedhelm Heinemann
- 43 DENTAL PRESS | Diameter Selection Of Implants Placed In Extraction Sockets: A New Approach
José Carlos M. da Rosa, Ariádene Cristina Pértile de Oliveira Rosa, Carlos Eduardo Francischone, Bruno Salles Sotto-Maior
- 44 DENTAL PRESS | Post-Traumatic Treatment Of Maxillary Incisors By Immediate Dentoalveolar Restoration With Long-Term Follow-Up
José Carlos M. da Rosa, Ariádene Cristina Pértile de Oliveira Rosa, Carlos Eduardo Francischone, Mauricio de Almeida Cardoso, Ana Carolina Alonso, Leopoldino Capelozza Filho
- 45 CASE REPORT | Amplified Implant With Double Internal Connection And Switching Platform
José Valdivia O.
- 46 MEDICAL ENGINEERING AND PHYSICS | The Electrochemical Oxide Growth Behaviour On Titanium In Acid And Alkaline Electrolytes
Young-Taeg Sul, Carina B. Johansson, Yongsoo Jeong, Tomas Albrektsson
- 47 MALMÖ UNIVERSITY | On Ca²⁺ Incorporation And Nanoporosity Of Titanium Surfaces And The Effect On Implant Performance
Victoria Fröjd, supervised by Tomas Albrektsson and Ann Wennerberg
- 48 MALMÖ UNIVERSITY | Importance Of Surface Topography As Well As Anodization And Ca²⁺ Incorporation For Osseointegration
Victoria Fröjd, supervised by Tomas Albrektsson and Ann Wennerberg
- 49 IJOMI | Increased Bone Contact To A Ca²⁺ Incorporated Oxidized C.P. Titanium Implant: An In Vivo Study In Rabbit
Fröjd V, Franke-Stenport V, Meirelles L, Wennerberg A
- 50 CIDRR | Importance Of Ca²⁺ Modifications For Osseointegration Of Smooth And Moderately Rough Anodized Titanium Implants – A Removal Torque And Histological Evaluation In Rabbit. Malmö University | Oral Mucosa: Impact Of Nanoporosity For The Sealing Of Oral Mucosa
Fröjd V, Wennerberg A, Franke- Stenport V.
- 51 CIDRR | Nanoporous TiO₂ Thin Film On Titanium Oral Implants For Enhanced Human Soft Tissue Adhesion - A Histological Evaluation In Three Different Levels Of Resolution. Malmö University | Biofilm Accumulation (In Vitro): Influence Of Surface Topography, Anodization And Ca²⁺ Incorporation, And Nanoporosity On Multi-Species Bacterial Adhesion And Biofilm Formation
Wennerberg A, Fröjd V, Olsson M, Nannmark U, Emanuelsson L, Johansson P, Yvonne J, Kangasniemi I, Peltola T, Tirri T, Pänkäläinen T, Thomsen P
- 52 MOLECULAR ORAL MICROBIOLOGY | In Situ Analysis Of Biofilm Formation On Titanium Surfaces
Fröjd V, Chávez de Paz L, Andersson M, Wennerberg A, Davies J, Svensäter G

- 53 BIOMED CENTRAL | Microbial Biofilm Formation On Smooth Nanoporous TiO₂ Coated And Anodized Ca²⁺ Modified And Titanium Surfaces
Fröjd V, Linderbäck P, Wennerberg A, Chávez de Paz L, Svensäter G, Davies J
- 54 JIACD | Extra-Short Implants For Rehabilitation Of Atrophic Ridges: A Retrospective Study With Up To 5 Years Of Follow-Up
Luis Eduardo Benevides de Moraes, Nathalia Benevides de Moraes, Eduardo José de Moraes
- 55 JCM | Aseptic Ligatures Induce Marginal Peri-Implant Bone Loss - An 8-Week Trial In Rabbits
David Reinedahl, Silvia Galli, Tomas Albrektsson, Pentti Tengvall, Carina B. Johansson, Petra Hammarström Johansson and Ann Wennerberg
- 56 PERIODONTOLOGY 2000 | State Of The Art Of Oral Implants
Tomas Albrektsson, Lars Sennerby & Ann Wennerberg
- 57 CIDRR | Effect Of Hydroxyapatite And Titania Nanostructures On Early In Vivo Bone Response
L. Meirelles, L. Melin, T. Peltola, P. Kjellin, I. Kangasniemi, F. Currie, M. Andersson, T. Albrektsson, A. Wennerberg
- 58 IJOMI | On Implant Surfaces: A Review Of Current Knowledge And Opinions
Ann Wennerberg, Tomas Albrektsson
- 59 MALMÖ UNIVERSITY | On Efficacy Of Implant Thread Design For Bone Stimulation
R. Chowdhary, supervised by Ann Wennerberg
- 60 IMPLANT DENTISTRY RESEARCH GUIDE | Surface Properties And Characterization Methods Of Titanium Dental Implants: Topography, Chemistry, And Oxide Thickness
Young-Taeg Sul – Department of Biomaterials, The Sahlgrenska Academy, University of Gothenburg, Sweden
- 61 ADJ | Comparison Of Bone Healing Around Nano Topography Dental Implant Versus Conventional Implant
Ali H. Amer, Saeeda M. Osman, Lydia N. Foad
- 62 UNIVERSITY OF GOTHENBURG, SWEDEN | On The Bone Tissue Response To Surface Chemistry Modifications Of Titanium Implants
Byung-Soo Kang – Department of Biomaterials, Institute of Clinical Sciences, Sahlgrenska Academy
- 63 COIR | Five Year Follow-Up On Usage Of Porous Titanium Granules (PTG) In Implant Dentistry
Pelivan, Ivica; Dulčić, Nikša – EAO 22nd Annual Scientific Meeting
- 64 MALMÖ UNIVERSITY, SWEDEN | Ospot And Micro+Nano Surfaces
<https://www.slideshare.net/ShmlanOv/characteristics-of-2-different-commercially-available-implants-with- or-without-nanotopography>
- 65 ACTA BIOMATERIALIA | XPS, AES And SEM Analysis Of Recent Dental Implants
Byung-Soo Kang, Young-Taeg Sul, Se-Jung Oh, Hyun-Ju Lee, Tomas Albrektsson
- 66 DENTAL MATERIALS | Micro-Raman Spectroscopic Analysis Of TiO₂ Phases On The Root Surfaces Of Commercial Dental Implants
Gaintantzopoulou M, Zinelis S, Silikas N, Eliades G Official Publication of the Academy of Dental Materials
- 67 JBMR | Effects Of Locally Administered Insulin On Bone Formation In Non-Diabetic Rats
B. Malekzadeh, P. Tengvall, L.-O. Öhmell, A. Wennerberg, A. Westerlund
- 68 GOTHENBURG UNIVERSITY, DEPARTMENT OF PROSTHODONTICS | Dental Material Science Department Of Biomaterials | On Nano Size Structures For Enhanced Early Bone Formation
L. Meirelles supervised by Tomas Albrektsson
- 69 COIR | Influence Of Abutment Disconnection On Peri-Implant Marginal Bone Loss: A Randomized Clinical Trial
L. Praça, R. Teixeira, R. Rego

MAIN ARTICLES | PUBLICATION



Developed By P-I Brånemark

References:

COIR: Clinical Oral Implants Research

CIDRR: Clinical Implant Dentistry and Related Research

IJOMI: The International Journal of Oral & Maxillofacial Implants

JCM: Journal of Clinical Medicine

IJP: International Journal of Prosthodontics

AOR: Applied Osseointegration Research

IN: ImplantNews

ADJ: Alexandria Dental Journal

SCT: Surface and Coatings Technology

JMSMM: Journal of Materials Science: Materials in Medicine

JBMR: Journal of Biomedical Materials Research

IJIDB: The International Journal of Dental Implants & Biomaterials

JIACD: Journal of Implant & Advanced Clinical Dentistry

JABB: Journal of Applied Biomaterials & Biomechanics